

Refine Search

Search Results -

Terms	Documents
L18 and (unabl\$ or uninstal\$ or disabl\$) near5 (download\$ OR LOAD\$ OR INSTAL\$)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Search History

DATE: Wednesday, February 04, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	L18 and (unabl\$ or uninstal\$ or disabl\$) near5 (download\$ OR LOAD\$ OR INSTAL\$)	0	<u>L19</u>
<u>L18</u>	6349344.pn.	1	<u>L18</u>
<u>L17</u>	L16 and (disabl\$ or unabl\$ or uninstal\$) near5 (instal\$ or download\$ Or load\$)	4	<u>L17</u>
<u>L16</u>	L15 and l3	15	<u>L16</u>
<u>L15</u>	714/38,48,52.ccls.	1406	<u>L15</u>
<u>L14</u>	714,38,48,52.ccls.	0	<u>L14</u>
<u>L13</u>	L12 and l3	11	<u>L13</u>
<u>L12</u>	709/217,221.ccls.	1997	<u>L12</u>
<u>L11</u>	L10 and l5	1	<u>L11</u>
<u>L10</u>	717/124,125,126,127,128,130,108,174.ccls.	1067	<u>L10</u>
<u>L9</u>	l5 and (issue\$ or deliver\$) near5 user\$	11	<u>L9</u>

<u>L8</u>	l3 and resource and execut\$ and (unabl\$ Or disabl\$) near5 (instal\$ or download\$ Or load\$)	9	<u>L8</u>
<u>L7</u>	l3 and (disabl\$ near5 (instal\$ or load\$ Or download\$))	13	<u>L7</u>
<u>L6</u>	L5 and (disabl\$ near5 (instal\$ or load\$ Or download\$))	1	<u>L6</u>
<u>L5</u>	L4 and execut\$	31	<u>L5</u>
<u>L4</u>	L3 and (debug\$ or verif\$ or test\$) and api and type and resource\$	31	<u>L4</u>
<u>L3</u>	(instal\$ or download\$ or load\$) near5 (verif\$ or correct\$ or error-free or error free) near5 (content\$ or program\$ or software\$) near5 (device\$ or software\$)	297	<u>L3</u>
<u>L2</u>	(instal\$ or download\$ or load\$) near5 (verif\$ or correct\$ or error-free or error free) near5 (content\$ or program\$ or software\$) nea5 (device\$ or software\$)	0	<u>L2</u>
<u>L1</u>	6651186.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L16 and (type\$ near5 instruction\$)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L17

Search History

DATE: Wednesday, February 04, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L17</u>	L16 and (type\$ near5 instruction\$)	1	<u>L17</u>
<u>L16</u>	L15 and (api near4 (access\$ or execut\$) NEAR5 (program\$ or software\$ or code\$))	4	<u>L16</u>
<u>L15</u>	L14 and applet\$ and device\$ and (program\$ or software\$ OR CODE\$) near4 (application program interface or api)	23	<u>L15</u>
<u>L14</u>	verified\$ near5 (program\$ or code\$ Or software\$)	2984	<u>L14</u>
<u>L13</u>	l1 and content\$ near5 (program\$ or code\$ or software\$)	0	<u>L13</u>
<u>L12</u>	L1 and applet\$	1	<u>L12</u>
<u>L11</u>	L1 and (content\$ same applet\$ same device\$ same issu\$)	0	<u>L11</u>
<u>L10</u>	L1 AND (MEMORY OR STOR\$)	1	<u>L10</u>
<u>L9</u>	L1 AND (MEMORY OR STOR\$) NEAR5 CONTENT\$	0	<u>L9</u>
<u>L8</u>	L1 AND (CONTENT\$ NEAR5 (PROGRAM\$ OR SOFTWARE\$ OR CODE\$))	0	<u>L8</u>

<u>L7</u>	L1 AND (CONTENT\$ NEAR5 (PROGRAM\$ OR SOFTWARE\$ oR CODE\$))	0	<u>L7</u>
<u>L6</u>	l1 and TYPE\$	1	<u>L6</u>
<u>L5</u>	l1 and (type\$ NEAR5 EXECUT\$)	0	<u>L5</u>
<u>L4</u>	l1 and api near5 (access\$ or execut\$)	1	<u>L4</u>
<u>L3</u>	L2 and (program\$ or content\$) near5 api	1	<u>L3</u>
<u>L2</u>	L1 and (verif\$ or correct\$ or test\$ or debug\$)	1	<u>L2</u>
<u>L1</u>	6188995.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.6Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [Sea](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **0** of **1002028** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.6Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [Sea](#)**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **0** of **1002028** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[program and verification and install and uninstall]**
Found **8** of **126,861** searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 8 of 8 **short listing**

- 1** CUTer and SifDec: A constrained and unconstrained testing environment, revisited 80%

Nicholas I. M. Gould , Dominique Orban , Philippe L. Toint
ACM Transactions on Mathematical Software (TOMS) December 2003
 Volume 29 Issue 4
 The initial release of CUTE, a widely used testing environment for optimization software, was described by Bongartz, et al. [1995]. A new version, now known as CUTer, is presented. Features include reorganisation of the environment to allow simultaneous multi-platform installation, new tools for, and interfaces to, optimization packages, and a considerably simplified and entirely automated installation procedure for unix systems. The environment is fully backward compatible with its predecessor, ...
- 2** Invited papers on the frontiers of software practice: Component technology: what, where, and how? 77%

Clemens Szyperski
Proceedings of the 25th international conference on Software engineering May 2003
 Software components, if used properly, offer many software engineering benefits. Yet, they also pose many original challenges starting from quality assurance and ranging to architectural embedding and composability. In addition, the recent movement towards services, as well as the established world of objects, causes many to wonder what purpose components might have. This extended abstract summarizes the main points of my Frontiers of Software Practice (FOSP) talk at ICSE 2003. The topics covered ...
- 3** A SPIN-based model checker for telecommunication protocols 77%

Vivek K. Shanbhag , K. Gopinath
Proceedings of the 8th international SPIN workshop on Model checking for software May 2001



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: **[test and program and resource and install and uninstall]**
Found **26** of **126,861** searched.

Search within Results



[> Advanced Search](#)

[> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 20 of 26 short listing

Prev
Page

1

2

Next
Page

- 1** Designing and implementing a family of intrusion detection systems 80%

Giovanni Vigna , Fredrik Valeur , Richard A. Kemmerer
ACM SIGSOFT Software Engineering Notes , Proceedings of the 9th European software engineering conference held jointly with 10th ACM SIGSOFT international symposium on Foundations of software engineering September 2003
 Volume 28 Issue 5
 Intrusion detection systems are distributed applications that analyze the events in a networked system to identify malicious behavior. The analysis is performed using a number of attack models (or signatures) that are matched against a specific event stream. Intrusion detection systems may operate in heterogeneous environments, analyzing different types of event streams. Currently, intrusion detection systems and the corresponding attack modeling languages are developed following an *ad hoc*
- 2** ILE: a Java-based environment for CS courses 80%

H. Hosny , O. Khaled , M. E. Fathalla
ACM SIGCSE Bulletin , Proceedings of the 5th annual SIGCSE/SIGCUE ITiCSE conference on Innovation and technology in computer science education July 2000
 Volume 32 Issue 3
 This paper provides an overview of the Interactive Lab Environment (ILE) project and a report on its current status and future directions. ILE is the framework of a customized interactive lab environment for computing concepts and courseware that we developed for our department using Java. In essence ILE is a well-managed, networked set of resources that offers its users a collection of tools. The most significant of these tools are the flexible routes through an interactive learning environment ...
- 3** Administration of campus computing labs and faculty desktops 80%

Refine Search

Search Results -

Terms	Documents
L16 and (disabl\$ or unabl\$ or uninstal\$) near5 (instal\$ or download\$ Or load\$)	4

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L17

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Wednesday, February 04, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L17</u>	L16 and (disabl\$ or unabl\$ or uninstal\$) near5 (instal\$ or download\$ Or load\$)	4	<u>L17</u>
<u>L16</u>	L15 and l3	15	<u>L16</u>
<u>L15</u>	714/38,48,52.ccls.	1406	<u>L15</u>
<u>L14</u>	714,38,48,52.ccls.	0	<u>L14</u>
<u>L13</u>	L12 and l3	11	<u>L13</u>
<u>L12</u>	709/217,221.ccls.	1997	<u>L12</u>
<u>L11</u>	L10 and l5	1	<u>L11</u>
<u>L10</u>	717/124,125,126,127,128,130,108,174.ccls.	1067	<u>L10</u>
<u>L9</u>	l5 and (issue\$ or deliver\$) near5 user\$	11	<u>L9</u>
<u>L8</u>	l3 and resource and execut\$ and (unabl\$ Or disabl\$) near5 (instal\$ or download\$ Or load\$)	9	<u>L8</u>
<u>L7</u>	l3 and (disabl\$ near5 (instal\$ or load\$ Or download\$))	13	<u>L7</u>

<u>L6</u>	L5 and (disabl\$ near5 (instal\$ or load\$ Or download\$))	1	<u>L6</u>
<u>L5</u>	L4 and execut\$	31	<u>L5</u>
<u>L4</u>	L3 and (debug\$ or verif\$ or test\$) and api and type and resource\$	31	<u>L4</u>
<u>L3</u>	(instal\$ or download\$ or load\$) near5 (verif\$ or correct\$ or error-free or error free) near5 (content\$ or program\$ or software\$) near5 (device\$ or software\$)	297	<u>L3</u>
<u>L2</u>	(instal\$ or download\$ or load\$) near5 (verif\$ or correct\$ or error-free or error free) near5 (content\$ or program\$ or software\$) nea5 (device\$ or software\$)	0	<u>L2</u>
<u>L1</u>	6651186.pn.	1	<u>L1</u>

END OF SEARCH HISTORY